• (1) Bell

• (3) Mur, ac.

(2) Lil.

(4) Glon.

Similima

Everything on Homeopathy http://www.similima.com

Rajasthan PSC Homoeopathy Medical Officer Exam Questions 2008

Question Paper of Rajasthan Public Service Commission Homeopathy Medical Officer Exam 2008

1.British Homoeopathic	Pharmacopoeia" by British Homoeopathic society was published in (1) 1690 (2) 1774 (3) 1870 (4) 1940
2. The science that deal	s with different aspects of drug is
(1) Pharmacy(3) Pharmacoch	(2) Pharmacology emistry (4) Pharmacogenetics
3. Desire to be let alone	; wants to lie down and sleep
(1) Aloes(3) Ign.	(2) Caps. (4)Zinc
4. Children ; impudent, t	easing, laugh at reprimands
(1) Croc.(3) Graph.	(2) Ign. (4) All
5. Feels badly, week be	fore menstruation.
(1) Puls(3) Sab.	(2) Kali C. (4) Sep.
6. Baby cries all day, sle	eeps all night.
(1) Psor.(3) Lyco	(2) Jalapa (4) Borax
7. Progressive perniciou	s anaemia, neurasthenia
(1) Crat.(3) Val.	
8. Delirium alternating w	rith colic
(1) Coloc.(3) Plumb.	
9. Sexula desire absent	in fleshly people
(1) Cal.c(3) Both	(2) Kali. bich (4) All
10. Severe headache be	efore and during menses
(1) Sil(3) Actea. R	(2) Ferr. M. (4) Kreos
11. Headache alternates	s with diarrhoea, headache in winter, diarrhea in summer
(1) Ptero(3) Staph.	(2) Led. (4) Podo.
12. Palpitation of 'heart i	is fe.lt in the face

• (1) Medo.

14.Boger was a student of

(1) Boenninghaussen(3) Hahnemann

• (3) See.

Similima

13. Breast cold as ice to touch, esp. the nipple, rest of body warm (during menses).

(2) Kent (4) Jahr

(2)Sil

(4)Merc.

Everything on Homeopathy http://www.similima.com

15. Mental disease is due to		
(I) Psora(3) Sycosis	(2)Pseudo psora (4)Syphilis	
16. Mention the drug which	h is prepared from the normal section of living animal,	
(1) Adrenalin(3) Actaea shicats	(2) Adonis vernalis(4) Agraphis nutans	
17. Idiosyncracy is helpful	in	
(1) Assessment of(3) Management of		
18.Extreme hungry even	when stomach is full of' food	
` ,	(2 Cina (4) Calc. C.	
19. The meaning of abbre	viation H.S. is	
(1) At bedtime(3) Tomorrow ever	(2) in the morning ning (4) every hour	
20. A sycotic patient desir	e for	
(1) Sweet(3) Beer	(2) Narcotics (4) Cold food	
21. Mntion which one is p	ublished by Authority of Government of India?	
(1) Pharmacy(3) Pharmacodyna	(2) Pharmacology mics (4) Pharmacopeia	
22. At the end of treatme	nt the anti-miasmatic medicine required is	
(1) anti syphilitic(3) anti-psoric	(2) antisycotic (4) antipseudopsoric	
23. Mapped tongue, with involuntary urination when coughing, walking, laughing		
(1) Causticum(3) Taraxacum	(2) Nat. Mur. (4) Squilla	
24.Mention the name of drug which is to be triturated from liquid substance.		
(1) Acid benzoic(3) Petroleum	(2) Guaiacum (4) Iodine	
25. Repertorisation starts from		

Similima

Everything on Homeopathy http://www.similima.com

(1) Case taking(2) Evaluation(3) Calculation(4) Rubric hunting

26. "Causam Tolle" means

• (I) Remove the cause (2) Total cause of the disease

• (3) Totality of symptoms (4) Proximate cause

27. The father of repertory is

(1) Hahnemann(2) Boenningahusen(3) Kent(4) Boger

28. Mention the vehicle by which you can prepare liniment.

(1) Distilled water(2) Alcohol(3) Glycerin(4) Olive oil

29. Surgical removal of an organ causes

• (1) Palliation (2) Suppression

• (3) Temporary relief (4) Cure

30. Cough > by lying on abdomen

(1) Medo
 (2) Staph
 (3) Cup met
 (4) Acet. Acid

31. Largest source of drug substances in homoeopathy is from

(1) Animal kingdom(2) P1ant Kingdom(3) Mineral kingdom(4) Synthetci chemicals

32. Menstruation is a.....symptom.

(1) Particular
 (2) Common general
 (3) Peculiar Particular
 (4) Peculiar general

33. Fidgety of hands

(1) Zinc(2) Kaii Br.(3) Cicuta. v(4) Medo

34. Which is indicated for vertigo after fright?

(1) gels(2) Conium(3) Silicia(4) Acon. Nap.

35. Concordance means

• (I) Relatioship between two remedies

• (2) Concomitant

• (3) characteristic symptom

• (4) All

36. Drug power of class-III is

• (1) 1/6 (2) 1/2 • (3) 1/10 (4) 1/100

37. Mercury's vegetable analogue is

Similima

Everything on Homeopathy http://www.similima.com

A SII	MILII	MA.	СОМ
•			MOEOPATHY

• (1) Podo (2) Mez. • (3) Sil (4) Phyto

38. "Spanish fly" is the common name of

• (1) Causticum (2) Cantharis • (3) Terebinth (4) Tarantula C.

39. All are complementary except

• (I) Ignatia.- Nat.mur (2) Mere. - Sil • (3) Bell - Cal. (4) Apis. Nat.m

40. Hears better in a noise

• (1) Aconite (2) Thuja • (3) Grap (4) Bella donna

41. Cannot bear the smell or sight of food

• (1) Arsenic alb (2) Ammon carb • (3) Cal. Cartb (4) Aethusa cynapium

42. Bed feels hard

• (1) Pyrogen (2) Bap • (3) Arnica (4) Opium

43. Anaemia is found in chapter......of BBCR.

• (1) Circulation (2) Blood • (3) Generalities (4) Sensation

44. Teeth decay at edges

• (1) Staph. (2) Thuja • (3) Kreosote (4) Mag C.

45. Chronischen Krankheiten means

• (1) Chronic diseases (2) Chronic miasm • (3) Deep acting drugs (4) Crude drugs

46. Aura begins from heart, medicine in Kent's repertory

• (1) Cal. ars. (2) Lachesis • (3) Bufo Rana (4) Aur. Met.

47. Which of the is not a common feature of Anorexia Nervosa

- (1) Binge eating
- (2) Amenorrhea
- (3) Self perception of being "fat"

• (4) Underweight

48. Which of the following is the most common presenting symptom of non-cirrhotic portal hypertension

- (1) Chronic liver failure
- (2) Ascitis
- (3) Upper gastro intestinal bleeding
- (4) Encephalopathy



Everything on Homeopathy http://www.similima.com

Similima

19.Joint erosions are not a feature o	t
---------------------------------------	---

- (1) Rheumatoid arthritis
- (2) Psoriasis
- (3) Multicentric reticulohystocytes
- (4) SLE
- 50. Apart from eschrerichia coli, the other most common organism implicated in acute suppurative bacterial peritonitis
 - (1) Bacteriods (2) Klebsiella • (3) Pepto streptococcus (4) Pseudomonas
- 51. The most common cause of gastric Outlet obstruction in India as
 - (1) Tubercuulosis (2) Cancer of stomach • (3) Duodenal lymphoma (4) Peptic ulcer disease
- 52. Which vitamin deficient is most commonly seen in a pregnant mother who is on phenytoin therapy for epilepsy?
 - (1) Vitamin B6 (2) Vitamin B 12 • (3) Vitamin (4) Folic acid
- 53. The following complications during pregnancy increase the risk of PPH except
 - (1) Hypertension (2) Macrosomia • (3) Twin pregnancy (4) HYdramnios

54.palpabale purpura could occur in the following conditions, except

- (1) Thrombocytopenia
- (2) Small vessel vasculitis
- (3) Disseminated gonococcal infection
- (4) Acute menigiococcemia
- 55. All the following can cause osteoporosis, except
 - (1) Hyprthyrodism (2) Steroid use • (3) Fluorosis (41) Thyrotoxicosis
- 56. All the following conditions are known to cause diabetes insipidus except
 - (1) Multiple sclerosis (2) Head injury • (3) Histocytosis (4) Viral encephalitis
- 57. All of the following CSF findings are present in tuberculous meningitis, except
 - (1) Raised protein levels (2) Low chloride levels • (3) Cob web formation (4) Raised sugar levels
- 58. Vitamin B₁₂ deficiency can give rise to all of the following, except
 - (1) Myelopathy (2) Optic atrophy • (3) Pherpheral Neuropathy (4) Myopathy
- 59. A blood stained discharge from the nipple indicates one of the following
 - (1) Breast abscess (2) Fibroadenorna • (3) Duct papilloma (4) Fat necrosis of breast
- 60. The most common complication seen in hiatus hernia is

SIMILIMA.COM EVERYTHING ON HOMOGOPATHY

Similima

Everything on Homeopathy http://www.similima.com

- (1) Oesophgitis
 (2) Aspiration pneumonitis
 (3) Volulus
 (4) Esophageal stricture
- 61.All are the cause of intrauterine growth retardation except
 - (1) Anemia
 - (2) Pregnancy induced hypertension
 - (3) Maternal heart disease
 - (4) Gestational diabetes
- 62. Use of one of the following vaccination is absolutely contraindicated in pregnancy
 - (1) Hepatitsi B
- (2) Cholera
- (3) Rabies
- (4) Yellow fever
- 63. The most common cause of secondary amenorrhoea in India is
 - (1) Endometrial tuberculosis
 - (2) Premature ovarian failure
 - (3) Polycystic ovarian syndrome
 - (4) Sheehan's syndrome
- 64. All the following are used as proxy measure for incubation period, except
 - (1) Latent period
 - (2) Period of communicability
 - (3) Serial interval
 - (4) Generation time
- 65. All of the following are the mode of transmission of leprosy, accept
 - (1) Breast milk
 - (2) Insect bite
 - (3) Transplacental spread
 - (4) Droplet infection
- 66. The most appropriate test to assess the prevalence of tuberculosis infection in a community is
 - (1) Mass Miniature Radiotherapy
 - (2) Sputum Examination
 - (3) Tubcrculin Test
 - (4) Clinical Examination
- 67. Bone marrow transplantation can be used as a treatment for all, except
 - (1) Osteoprosis
 - (2) Adrenoleukodystrophy
 - (3) Hurler's syndrome
 - (4) Hemochromatosis
- 68. Polycystic disease of the kidney may have cysts in all of the following organs, except
 - (1) Lung
- (2) Liver
- (3) Pancreas
- (4) Spleen
- 69. Persistent vomiting most likely causes
 - (1) Hyperkalemia
 - (2) Acidic urine excretion
 - (3) Hypochloremia
 - (4) Hyperventilation

Similima

Everything on Homeopathy http://www.similima.com

0. In Budd chiari syndrome,	the site of venous	thrombosis is
-----------------------------	--------------------	---------------

- (1) Intrahepatic inferior vena cava
- (2) Intrarenal inferior vena cava
- (3) Hepatic veins
- (4) Portal veins
- 71. Estimation of the following hormones is useful while investigating a case of gynaccomastia, except
 - (1) Testosterone
- (2) Prolactin
- (3) Estradiol
- (4) Lutenizing hormnone
- 72. The most common site of intestinal obstruction in gall stone ileus
 - (1) Jejanum
- (2) Ileum
- (3) Transverse colon
- (4) Sigmoid colon
- 73. Which of the following types of pancreatitis has the best prognosis
 - (1) Alcoholic pancreatitis
 - (2) Gall stone pancreatitis
 - (3) Post operative pancreatitis
 - (4) Idiopathic pancreatitis
- 74. Which one of the following is not an important cause hyponatremia
 - (1) Gastric fistula
 - (2) Excessive vomiting
 - (3) Excessive sweating
 - (4) Prolonged Ryle's tube aspiration
- 75. All the following conditions are risk factor for urinary tract infections in pregnancy, except
 - (1) Diabetes
- (2) Hypertension
- (3) Sickle cell anemia (4) Vesiscoureteral relflux
- 76. In one single visit, a 9-months old, unimmunized child can he given the following vaccination
 - (1) Only BCG
 - (2) BCG, DPT-I, OPV-I
 - (3) DPT-1, OPV-1, Measles
 - (4) BCG, DPT-I, OPV-1, Measles
- 77. The organism most commonly causing genital filariasis in most part Bihar and Eastern UP is
 - (1) Wichercriat bamcrofti
- (2) Brugia malayi
- (3) Onchocera volvulus
- (4) Dirofilaria
- 78. Magnum opus is the work of
 - (1) Hahnemann
- (2) Lord Bacon
- (3) Aristotle
- (4) Hippocrates
- 79. Fragemnta de viribus medicamentarum positivis humano observitus was published in
 - (1) 1810
- (2)1796
- (3) 1805
- (4) 1821
- 80. Mental diseases arediseases
 - (1) Acute
- (2) Chronic

SimilimaEverything on Homeopathy http://www.similima.com

• (3) Local	(4) One sided
81. Electrotherapy deals	with secof 6 th edition
• (1) 285 • (3) 286	(2) 285-286 (4) 284
82. The name 50 millisim	nal potency was given by
(I) Hering(3) Boericke	
83. With a family history of	of tubercuiosis a few dose of tuberculinum act asremedy
(1) Complementa(3) Cognate	ry (2) Intercurrent (4) Antimiasmatic
84. Who says, "There is r	no disease, but sick people"?
	(2) Kent (4)Hippocrates
85. The 5 th edition of orga	anon was published from
(1) Leipsic(3) Paris	
86. Cullen was a professo	or in
(1) Botany(3) Medicine	(2) Zoology (4) Veterinary
87. Autocracy means	
	(2) Powerless(4) Self knowledge
88. 'Rubric' – word origina	ated from
(1) Rubrica(3) Rubrecea	(2) Rubrik (4) Rubrika
89. Symptom is derived for	rom theword symptoma.
(1) Latin(3) German	(2) Greek (4) French
90. First English repertory	y written by
(1) Hering(2) Lippe	(2) Cipher (4) Bryont
91. Boenninghausen borr	n in the year
• (1) 1812 • (3) 1793	(2) 1785 (4) 1801
92. Who is the father of c	linical repertory?
(1) Boger(3) Allen	(2) Jahr (4) None

SimilimaEverything on Homeopathy http://www.similima.com

93. Diarrhoea found in th	ne chapter in Kent's repertory. Abdomen, IOiarrhvc,w Abdomen
(1) Rectum(3) Stool	(2) Abdomen, Diarrhoea (4) Generalities
94. Yawning is found in o	chapter of Kent's repertory.
(1) Respiration(3) S1eep	(2) Larynx & trachea (4) Generalities
95. Boericke repertory is	arepertory
(1) Clinical(3) General	
96. The size of globule v	ary from
• (1) 6 to 80 • (3) 8 to 90	(2) 8 to 80 (4) 10 to 80
97. Pulstilla is included u	nderclass
• (I) I • (2) III	(11) IV (4) II
98. For 1 st fifty millisimal	scale potencypotency of titration is needed
• (1) 8X. • (3) 3 C	(2)4 X (4) 4 C
99. Decimal scale was ir	itroduced by
	(2) Hahnemann (4) None
100. R _x stands for the	word "Recipe".
(1) Greek(3) German	(2) Latin (4) None
	We are thankful to Dr.Anil.K for providing this question booklet

All rights reserved @similima