

Repertory for Tobacco

Dr Sayeed Ahmad

Abdomen :- Colicky pains after smoking :- Bufo. Pain in bowels, better after smoking :- *Coloc.* Heat in abdomen rises into chest, rest of body chilly, after smoking :- Spong.

Adiction :- Nicotine :- Aven., Calad., Ign., Nicot., Nux-v. Tab.

Aggravation :- Acon., Act-sp., Agar., Alum., Ambr., Ang., Ant-c., Arg-n., **ARS.**, Bell., Bry., Calc., Camph., Carb-an., Chin., Cic., Clem., Coc-c., Coloc., Cycl., Euphr., Ferr., Hell., Hep., **IGN.**, Iod., Ip., Lach., Mag-c., Meny., Nat-m., **NUX-V.**, Par., Petr., Phos., **PLAN.**, **PULS.**, Ran-b., Rhus-t., Ruta, Sabad., Sabin., Sars., Sel., Sep., Sil., **SPIG.**, **SPONG.**, **STAPH.**, Sul-ac., Sulph., Tarax., Thuj., Ver.

Smoking, from :- Alumn., Chin., Dor., Gels., Lac-ac.

Ailments:-

- **From Tobacco:-** Abies-n., Arg-n., Ars., **CALAD.**, China-a., Coca, Con., Ip., Lach., Lob-i., Lyc., Nicot., **NUX-V.**, Phos., Plan., Scut., Sep., Spig., Staph., Stroph., Thuj., Ver.
- **Angina pectoris :-** Nux-v.
- **Anxiety from smoking tobacco:-** Petr., Sep.
- **Appetite, lost, diminished, wanting from tobacco:-** Sep.

Asthma:- After smoking:- Asc-t., Calad., Lob-i. **Aversion:-**

- **To smoke :-** Ant-t., Arn., Brom., Calc., Carb-an., Casc., Cocc., Ign., Lach., Lyc., Nux-v., Puls., Spig., Tarax.
- **Bitter taste :-** Ang.
- **Smell, cannot bear** (gastric sick headache) :- Lob-i.
- **Smoke, to, in evening :-** Arg-n.
- **Smoke does not taste well :-** Hyper.
- **Smoking without relish :-** Ars-h.

Bad effects :-

- **From Tobacco:-** Ars., Carb-v., Coca, Ip., Lach., Lyc., **NUX-V.**, Phos., Plan., Sep., Tab., Thuj., Ver.
- **Chewing, from :-** Ars. Cab-v., Lyc., **Nux-V.**, Plan., Sep., Tab., Ver.
- **Better from :-** Bor., Coloc., Hep., Merc., Nat-c., Sep., Spig.
- **Better from tobacco:-** Bor., Coloc., Hep., Merc., Nat-c., Sep., Spig.
- **Smoking better :-** Merc.
- **Toothache better by smoking:-** Aran., Merc., Nat-c., Nat-s.
- **Bladder, strangury and retention of urine :-** Op.

Belching:- After smoking, alternating with hiccough:- Agar.

Breathing :- Aggravation, after smoking :- Op.

Asthma, after smoking :- Asc-t., Calad., Lob-i.

Cancer:- Cancer, lips:- Acet-ac., Ars., Ars-i., Aur., Aur-m., Camp., Carb-an., Caust., Cic., Cist., Clem., Com., **CON.**, **CUND.**, Hydr., Kali-chl., Kali-s., Kreos., Lach., Lyc., Phos., Phyt., Sep., Sil., Sul., Tab., Thuj.

Epithelioma:- Cic., Con., Hydr., Lap-a., Sep.

Lower:- Ars., Clem., Merc-l-f., Phos., Sep., Sil.

Pressure of pipe:- Con., Sep.

Ulcers:- Ars., Aur-m., Carb-an., Clem., **CON.**, Kali-bi., Lyc., Phos., Phyt.

Cancer, Palate:- Aur., Hydr.

Hardness with:- Hydr.

Cancer, Throat :- *Carb-an., Led., Tarent.*

Cancer, Larynx:- *Ars., Ars-i., Bell., Carb-an., Clem., Con., Hydr., Iod., Kreos., Lach., Morph., Nit-ac., Phos., Phyt., Sang., Thuj.*

Cancer, lungs:- *Ars., Calad., Cob., Con., Phos.*

Cancer, smoking from:- *Ars., Calad., Con., Phos.*

Cancer, Tongue:- *Alumn., Apis., Ars., Aur., Aur-m., Benz-ac., Calc., Carb-an., Caust., Con., Crot-h., Cund., Hydr., Kali-chl., KALI-CY., Kali-i., Lach., Mur-ac., Nit-ac., Phos., Phyt., Sep., Sil., Sul., Thuj.*

Chest, Lungs:- Ascending; respiration short, impeded, difficult in those engaged in athletic sports; ascending mountains, or in those using tobacco, alcohol, Opium or hashish to excess:- *Coca*

Chewing, bad effects:- *Ars., Carb-v., Lyc., Nux-v., Plan., Sep., Tab., Ver.*

Convulsions:- Tetanic, from swallowing:- *Ip.*

Cough:- Convulsive:- *Lac-ac.*

- **Aggravation from tobacco smoke:-** *Brom., Coloc., Nux-v.*
- **Attack of cough after smoking:-** *Agar., Arg-n., Bry.*
- **Smoke excites cough:-** *Staph.*
- **Causes and aggravates:-** *Iod.*
- **Dry cough (Evening) from tobacco smoke:-** *Thuj.*

Desire:- Wants to do nothing but smoke all day :- *Eug.*

- Smoking unpleasant first day, but after first week a crazy, insatiable desire to smoke does not allow pipe to cool:- *Lyss.*
- **Desires snuff:-** *Bell.*
- **Diarrhoea:-**
- **After smoking:-** *Cham.*
- **As if it would set in after smoking:-** *Bor.*

Disgust:- Disgust for tobacco, remedies to stimulate:- *Arg-n., Ars., CALAD., Calc., Calc-p., Camph., Caust., Con., Ign., Lach., Nicot., Nux-v., Petr., Plan., STAPH., Stry., Sul., Tab.*

Drunkenness:- Feeling of drunkenness after smoking:- *Asc-t.*

Dyspepsia:- Dyspepsia from tobacco:- *Acon., Ant-c., Arn., Ars., Bry., Cham., Chin., Clem., Cocc., Coloc., Cupr., Euph., Ign., Ip., Lach., Lyc., Merc., Nat-c., Nat-m., Nux-v., Phos., Plan., Puls., Sep., Spong., Staph., Ver.*

Ear:- Pain in ear from tobacco:- *Raph.*

Eruclation:- Eruclations from tobacco:- *Sel.*

After smoking, alternating with hiccough:- *Agar.*

Eyes:- Loss of vision (Blindness) from tobacco:- *Ars., Nux-v., Phos.*

Weak sighted, after smoking:- *Asc-t.*

Pressure after smoking:- *Calad.*

Diplopia:- *Plb-ac.*

Extremities:- Trembling of hand from tobacco:- *Nux-v.*

Face:- Pain in face (Aching, Prosopalgia) from tobacco:- Ign., Sep.

Feet:- Smoking causes cramp in soles:- Calad.

Fever:-

- **Fever from smoking tobacco:-** Cic., Ign., Sep.
- **Fever from abuse of tobacco:-** Bell., Gels., Ign., Ip., Nux-v., Phos., Sec.

Fingers:- Itching after smoking when lying down:- Calad.

Head:-

- **Congestion; from tobacco smoking:-** Ars., Ign., Mag-c.
- **Heat; in head from tobacco smoking:-** Mag-c.
- **Occiput; pain in head, worse from cold, from smoking; snuffing or**
- **Smelling tobacco:-** Ign.

Relieved; headache; by tobacco smoke:- Aran.

Headache from smoking:- Acet-ac., Acon., Alum., *Ant-t.*, Bell., Brom., Calad., Calc., Caust., Clem., Cocc., Coc-c., Ferr., Ferr-i., *Gels.*, Glon., **IGN.**, Lob-i., Mag-c., **NAT-A.**, Nat-m., **NUX-V.**, Op., Petr., Plan., *Puls.*, Sil., Spig., Thuj., Zinc.

Heart:-Irregular, tumultuous palpitation with irritable heart in tea and coffee drinkers and tobacco smokers:- Agar.

- **Tobacco heart:-** Stroph.
- **Symptoms of circulation worse after smoking:-** Spong.
- **Palpitation:-** *Acon.*, *Nux-v.*, *Phos.*, Spong. Thuj.
- **Slow soft pulse:-** Apoc.
- **Heart distress:-** Spig.

Heartburn:- Heartburn from tobacco:- Chel., Staph., Tarax.

Hiccough:-

- **After smoking:-** Calen., *Ign.*, Puls.
- **During smoking:-** Puls., *Sang.*

Impotence:- Impotence from tobacco:- Lyc.

Insomnia :- *Nux-v.*

Intoxicated:- Feeling intoxicated after smoking:- Asc-t.

Lachrymation:- From tobacco:- Kali-bi., Raph.

Larynx and Trachea:-

- **Pain in larynx from tobacco smoking:-** Bry.
- **Tickling in the air passages:-** Acon.

Legs:- Weakness, from smoking:- Clem.

Mouth:- Smoking causes dryness:- Chlor.

Peeling inside of lips, after smoking:- Agar.

Nausea:-

- **After smoking:-** Agar., Brom., Calad., Calc., Calc-p., Clem., Ign., *Kali-bi.*, *Lob-i.*, *Nux-v.*, Spong., Tab.
- **Nauseous taste, from smoking:-** Puls.

- **With aversion to smoking:-** Carb-an.
- **Nausea and aversion to tobacco smoking:-** Ars., Carb-an., Ign.
- **Sudden nausea after smoking:-** Agar.
- **Nausea in morning from tobacco:-** Nux-v.
- **Nausea goes off by smoking:-** Eug.

Nervous:-

- **Nervous depression:-** Ars., Coca, Gels., Nux-v., Sep.
- **Nervous; after excessive use of tobacco:-** Plan.

Neuralgia:- Neuralgia from tobacco:- Plan.

Nose:- Irritation; snuffing tobacco, from:- Spig.

Paralysis:- Paralysis from abuse of nicotine:- Nux-v.

Pregnancy:- During pregnancy cannot bear odour of tobacco:- Ign., Nux-v.

Prostatorrhoea:- Worse after smoking:- Daph.

Respiration:- Aggravation; tobacco: Aloe, Tarax.

Restless:- After smoking cannot control himself:- Calad.

Sensitive:-

- **Sensitive to smell of tobacco:-** Agar., Ars-h., Asc-t., Bell., Casc., Chin., **IGN.**, Lob-i., Lyc., Lyss., Nux-v., Phos., Puls., Sol-n., Tab.
- **To smell, tastes snuff while box is one foot distant:-** Lyss.
- **Cannot bear the smell of tobacco:-** Ign., Lob-i.

Skin:- Secretions, charged with odour of tobacco:- Tab.

Sleep:-

- **Sleepiness; if he smokes tobacco:-** Bufo.
- **Insomnia:** Nux-v.

Smell:- Illusions of, tobacco:- Puls.

Smoke:- Aggravation from tobacco smoke: Acon., Cic., Cocc., Ign., Staph.

Snuff:-

- **Aversion to:-** Spig.
- **Desires:-** Bell.

Stomach:-

- **Gastro-intestinal symptoms worse after chewing:-** Ars.
- **Stomach pain from tobacco:-** Chel.

Stool:- Smoking causes urging to stool: Calad.

Sweat:- Sweat and trembling after smoking:- Nat-m.

Tastes:-

- **Bitter:-** Cocc.
- **Bitter after smoking:-** Asar.

- **Bitter when smoking:-** *Chin.*
- **Bitter, rough, after smoking:-** *Casc.*
- **Scratchy, bitter in mouth and fauces:-** *Spong.*
- **Sour:-** *Staph.*
- **Biting, on tongue:-** *Coccin.*
- **Tasteless:-** *Ant-t.*
- **Pasty:-** *Staph.*
- **Smoking, tasteless:-** *Ars-h.*
- **Offensive:-** *Camph.*
- **Sweetish:-** *Sel.*

Thirst:- Violent, after smoking:- *Spong.*

Throat:-

- **Particles of tobacco were stuck in throat:-** *Raph.*
- **Burning and acidity from cardia:-** *Chel.*
- **Smoking makes dry, and he does not enjoy it:-** *Ver.*
- **Chronic inflammation in smoker:-** *Nat-m.*
- **Granular sore-throat:-** *Calc-p.*
- **Scraping:-** *Osm.*

Tobacco Habit:- To wean oneself from tobacco habit:- *Plan.*

Tongue:-

- **Stitches; tobacco, as from:-** *Agar.*
- **Back; biting; tobacco, as from:-** *Ol-an.*
- **Forepart; biting; tobacco smoke from:-** *Ign.*

Toothache:-

- **Worse chewing or smoking:-** *Bry.*
- **From smoking:-** *Bry., Cham., Chin., Ign., Merc., Nux-v., Spig.*
- **Better by smoking:-** *Aran., Bor., Merc., Nat-c., Nat-s.*
- **Worse by smoking:-** *Bry., Caust., Clem., Ign.*
- **Better painful jerks in nerve of a hollow tooth:-** *Spig.*

Urine:- Odour; tobacco like:- *Nit-ac.*

Vertigo:- As from tobacco:- *Rhod.*

Vomiting:-

- **Vomiting from tobacco:-** *Ip.*
- **After smoking:-** *Agar., Calad.*

Weakness:- From smoking:- *Calad., Clem., Hep.*